Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.





PRICE LIST

AUTUMN 1916

SPRING 1917

ANNOUNCEMENT


Messrs. Thomas Meehan & Sons have discontinued the Seed Business and as I have had entire charge of this department for them for several years, I am now taking up and shall continue in my own behalf this business in the future. I am doing so with their good will and best wishes.

The same collectors and collecting fields as served the interests of Messrs. Meehan & Sons in the past will be with me in the future. The same honorable policies of my past employers will be continued and any changes necessary for the improvement of the service will be put under way.

With my knowledge and experience of the business,—and with the efficient corps of experienced collectors at my service, I am confident of my ability to serve you with Seeds to your entire satisfaction and advantage.

I hope I may in my own behalf be again favored with orders such as I have taken care of for you while in charge of this work with Messrs. Meehan & Sons.

Thomas J. Lane
TREE SEEDSMAN
Dresher, Penna., U. S. A.



THE BASE OF A LARGE REDWOOD TREE (Sequoia Sempervirens) Growing in California, U. S. A. By courtesy of American Forestry Magazine, Washington, D. C.

Conditions and Terms

All offers and acceptances of orders are subject to my receiving the full quantity for which I have placed orders with my growers and collectors. Failing to get these amounts, I reserve the right to reduce proportionately all orders that have been booked; or fill orders in rotation received while supply lasts.

I give no warranty, express or implied, as to description, quality, productiveness, or any other matter of any seeds, bulbs or plants I send out, and will not be in any way responsible for the crop. If the purchaser does not accept the goods on these terms they are at once to be returned.

All claims must be made upon receipt of goods.

After goods are placed on board cars here, I assume no responsibility for their safe delivery or any injury caused by delay in delivery by the transportation company.

Sacks and box and packing charged additionally.

Not less than one-quarter pound will be supplied at pound rates nor one-quarter bushel at bushel rates. Half ounces will be supplied at ounce rates where the price per ounce is not lower than 20c.

When seeds are to go by mail, postage is charged at Parcel Post rates in U. S. A. Consult your postmaster as to your zone and allow charges accordingly. Foreign countries 12c. per pound for postage.

SATISFACTORY ARRANGEMENTS FOR PAYMENT MUST ACCOMPANY ORDERS FROM UNKNOWN CORRESPONDENTS.

All P. O. orders payable at Dresher, Pa., U. S. A.

Terms-Net Cash 30 days. 2% in 10 days.

Inquiries for large lots solicited.

Cable Address "LANE AMBLER" A. B. C. Code 4th and 5th Edition.

Thomas J. Lane

TREE SEEDSMAN

Dresher, - - Penna.

General Information and Suggestions For Planting

Seeds to germinate must have the proper conditions of heat and moisture. These conditions vary greatly with different seeds. Experience and close attention are necessary to successful propagation and the propagator must be a close observer of the wants and habits of trees and plants and be able to gather knowledge from what he may see. Owing to certain conditions of moisture, temperature and time which they do not always meet with after sowing, seeds sometimes fail to appear the first season. Examine them at close of Spring, and if found sound do not disturb them, and their germination may be looked for the season following.

Seeds of deciduous trees and shrubs are best sown in the Fall, pines and similar evergreens in Spring, but deciduous ones will grow very well sown in Spring if kept in good condition through the Winter. When sown in Spring seeds of a hard, bony nature, such as the yellow locust, are best soaked in hot water for a day or two and then sown at once. Seeds of maples, ash, magnolia, beech, all nut trees, as well as many other kinds require to be kept slightly moist over Winter if not sown in Fall; on the other hand, catalpa and some others may be kept quite dry until Spring comes.

All Spring sowing should be early; even if the ground freezes later it won't injure the seeds at all.

Junipers, hollies and a few similar seeds remain a full year before sprouting. It is just as well, therefore, to keep them in a box of soil until the next Autumn, then sow them.

For seed of the nut-bearing trees, as acorns, chestnut, hickory, black and white walnut, etc., the open field, if of mellow, rich soil, makes a good and sufficient seed bed.

After the ground is thoroughly cultivated, mark out as for corn, planting the seeds closely in the light furrows or drills.

The drills may be made at any convenient distance. If cultivated with the hoe they need be but a foot apart; but, unless short of room, they had better be sown in broader drills, and the drills three or four feet apart, so that the space between them may be worked with the horse or cultivator.

If the planting is done in the Fall it is better to mulch the ground with straw, leaves, or any like material; this will prevent baking of the soil after the Spring rains, and keep it in a nice mellow condition. The mulching should be removed in the Spring, or, at least so much that it will not interfere with the growth of the young seedlings.

The smaller seeds, such as maple, white ash, tulip, linden, magnolia, etc., require greater care in planting.

Let the soil be thoroughly pulverized, then throw up into beds a few feet wide, and any desirable length. Mark out and plant in drills by placing a board across the bed and making the drill along the edge of the board with a sharpened stick, then sow the seed in the drill; cover lightly, and then turn forward the board for a new drill. The width of the board regulates the distance apart of the drills, and as such seedlings are not usually allowed to grow more than one year before transplanting, the board need not be more than eight or ten inches wide. Mulch with straw if planted in the Fall, removing in the Spring.

Red and Silver Maple, Elm, etc., ripen their seed late in the Spring, or early Summer. They will keep but a few weeks, and should be planted immediately. Silver maple seed planted in June will often make a growth of fifteen or twenty inches by the last of October. Birch seed can be kept in sand in a cool place and planted the following Spring.

The seed of evergreens is always found in cones, with the exception of the juniper and yew, which produce small berries; hence, the general name applied to evergreens of coniferae, or cone-bearing.

The soil most suitable for raising conifers is a light sandy loam, rich in vegetable matter, but entirely free from rank manures. soil should be deeply spaded and thoroughly pulverized. off in beds four feet wide, and any desirable length, with paths of one foot between. The beds should be higher in the middle, the sides being but little higher than the paths. The seed is usually sown broadcast and then carefully and lightly raked in; but some prefer sowing in drills a few inches apart, then rolling, or pressing with back of the spade, and sifting over them a very light covering of oneeighth to one-quarter of an inch of soil. The ground should be prepared the Fall before, and the seed put in at the earliest possible Most failures in growing evergreen seedlings moment in the Spring. arise from not having the seed beds partially shaded. If hot sunshine falls on them while the seeds are swelling, and cold follows, a large proportion will rot before they appear above the ground. seedlings are raised extensively artificial arbors are made high When the growing is done on a less extenenough to work under. sive scale, stakes are driven at convenient distances along the sides of the beds to which boards six inches wide are nailed, to support screens for shading the young seedlings. The lower edge of these boards should be but four or five inches above the surface of the ground, to allow the air to circulate freely over the beds. screens are very satisfactory.

The germination of evergreen seeds often requires from thirty to sixty days, they being slower in swelling and bursting their coats than many other seeds. Sometimes they will lay dormant one season and come up nicely the next; hence if they fail to grow the first year it is well to examine the seed, and, if it remains plump, with fresh-looking kernels, keep the beds weeded for the next season.

The critical period for the young evergreen seedlings extends over six or eight weeks from the time they make their first appearance, or, until they form their secondary leaves. They are extremely sensitive to external influences, a little excess of drought, heat, or moisture proving ruinous, rotting the stem off at the surface of the ground.

Rainy, hot weather, or a warm rain saturating the beds after they have become very dry, will often cause them to damp off by thousands. The destruction may often be arrested by sifting dry sand over the bed.

In the Fall the young seedlings should be covered with leaves, straw, or marsh-hay, which will prevent them from being drawn out by the frequent thawing and freezing.

Approximate number of seeds to the pound; following varieties:

| Abies Concolor | 7,000 | Berberris Thunbergii |
|-----------------------|--------|--------------------------------|
| Abies Douglassi | 25,000 | Berries 4,500 |
| Abies Excelsa | 25,000 | Betula alba 60,000 |
| Cupressus Lawsoniana | 40,000 | Calycanthus floridus 2,400 |
| Juniperus Virginiana | 15,000 | Catalpa Speciosa 12,000 |
| Pinus Austriaca | 20,000 | Juglans Nigra 15 to 20 |
| Pinus Ponderosa | 12,000 | Larix Europaea 12,000 |
| Pinus Rigida | 32,000 | Liquidambar Styraciflua 16,000 |
| Pinus Strobus | 20,000 | Liriodendron tulipfera 10,000 |
| Pinus Sylvestris | 30,000 | Maclura durantica 12,000 |
| Thuya gigantea | 60,000 | Magnolia acuminata 21,000 |
| Thuya Orientalis | 17,000 | Morus alba 33,000 |
| Acer Dasycarpum | 2,400 | Robinia Pseudo-acacia 15,000 |
| Acer platanoides | 3,000 | Tilia Americana 3,500 |
| Acer Rubrum | 12,000 | Ulmus Americana 45,000 |
| Acer saccharinum | 3,500 | Viburnum acerifolium 7,000 |
| Berberris Vulgaris | 12,000 | Viburnum prunifolium 1,500 |
| Berberris Thunbergii, | | Ampelopsis Veitchii 8,000 |
| Clean Seed | 18,000 | |

One of my customers reported an estimated stand of 100,000 Apple stocks from 1 bu. seed.

Evergreens

| | | of a | antities 10 T bs. .nd over |
|--|-----------------|--|---|
| | Per oz. | Per lb. | Per Ib. |
| Abies (Picea) amabilis, California Fir | 25 | \$3 00 | \$2 90 |
| " Arizonica, Arizona Cork Fir | 60 | 8 00 | 7 50 |
| " balsamea, Balsam Fir | 15 | 1 65 | $1 \ 50$ |
| " brachyphylla | 20 | 2 25 | 2 00 |
| " concolor, California Silver Fir | 15 | 1 60 | $1 \ 50$ |
| " concolor, Colorado Silver Fir | 15 | 1 60 | 1 45 |
| nrma, Japanese | 15 | 1 35 | 1 20 |
| rraseri, Double Baisam | 25 | 3 75 | 3 50 |
| grandis, Pacific Coast Fir | 20 | 2 65 | 2 40 |
| magninca " " | 20 | 2 25 | 2 00 |
| nobilis | 25 | 3 25 | 3 00 |
| " "Nordmanniana, Nordman Fir | 10 | 1 25 | $\frac{1}{75}$ |
| " pectinata, European Silver Fir | $\frac{10}{35}$ | $\frac{1}{4} \frac{00}{00}$ | 3 85 |
| " " sub-alpina " " Veitchii | $\frac{35}{25}$ | $\frac{4}{3} \frac{00}{25}$ | 3 00 |
| " " Veitchii | 20 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | $\frac{3}{2} \frac{00}{10}$ |
| Arctostaphylos glauca | 10 | $\frac{2}{1} \frac{23}{10}$ | 1 00 |
| ,, • • • • • • • • • • • • • • • • • • | 10 | 1 10 | 1 00 |
| " pungens " tomentosa | 10 | 1 10 | 1 00 |
| Berberis Aquifolium (Mahonia) Clean Seed | 15 | 1 50 | 1 35 |
| " Japonica " | 10 | 1 50 | 1 40 |
| Brahea edulis Palm | 10 | 1 00 | 90 |
| " filamentosa " | 10 | 1 00 | 90 |
| " glauca " | 10 | 1 25 | 1 10 |
| " robusta " | 10 | 1 25 | 1 10 |
| " Sonorae | 20 | 2 35 | $2\ 25$ |
| Buxus sempervirens, Box | 10 | 1 40 | 1 15 |
| Cedrus Atlantica, Mt. Atlas Cedar | 10 | 1 35 | $1 \ 25$ |
| " Deodara, Deodar Cedar | 15 | 1 75 | 1 60 |
| " Libani, Cedar Lebanon | 10 | 1 35 | 1 25 |
| Cinnamomum Camphora, Camphor Tree | 10 | 65 | 50 |
| Crataegus Pyracantha, Evergreen Thorn | 20 | 2 00 | 1 75 |
| Cryptomeria Japonica, Japanese Cedar | 10 | 1 15 | 1 00 |
| Cupressus Arizonica | 20 | 2 50 | $2\ 35$ |
| "Benthamiana | 20 | 2 00 | 1 75 |
| " Goveniana | 30 | 3 10 | 2 85 |
| Guadalupensis | 30 | 3 25 | 3 00 |
| macrocarpa, Monterey Cypress | 15 | 1 25 | 1 15 |
| McNabiana | 30 | 3 25 | 3 00 |
| sempervirens | 10 | 85 | 75 |
| thyoldes, write Cedar | 15 | 1 35 | 1 25 |
| Eucalyptus amygdalina | 50 50 | $\begin{array}{ccc} 6 & 00 \\ 6 & 50 \end{array}$ | $\begin{array}{ccc} 5 & 75 \\ 6 & 00 \end{array}$ |
| " corynocalyx | 50 35 | 4 25 | 4 00 |
| " globulus | 35 45 | 5 25 | 5 00 |
| " Gunnii" leucoxylon | 45 45 | 5 25 | 5 00 |
| " obtusifolia | 90 | $\frac{3}{12} \frac{23}{00}$ | 11 00 |
| " resinifera | 50 | 6 25 | 6 00 |
| | | 3 20 | 5 00 |

| Evergreens—Co | ontinued | l | Qua | ntities |
|--|---------------|-----------------|---|---|
| C person | | | of | 10 lbs. |
| 3 × 10 · · · · · · | | Per oz | Per lb. | nd over Per 1b |
| Eucalyptus robusta | | \$ 30 | \$4 50 | \$4 25 |
| " rostrata | | 30 | 3 50 | 3 25 |
| " viminalis | | 40 | 4 25 | 4 10 |
| Garrya elliptica | | 50 | 5 50 | 5 25 |
| Gaultheria procumbens, Winter Green, Tea E | 3erry | 15 | 1 65 | 1 50 |
| " Shallon | | 30 | 3 25 | 3 00 |
| Ilex Aquifolium, English Holly | | 15 | 1 25 | 1 00 |
| " opaca, American " | | 10 | 60 | 50 |
| Juniperus Chinensis, Chinese Juniper | | 10 | 1 10 | 1 00 |
| Camorina | • • • • • • • | 20 | 2 50 | 2 25 |
| communis, Common | • • • • • • | 10 | 90 | 70 |
| , | • • • • • • | 10 | 1 00 | $\begin{array}{c} 75 \\ 1 \ \ 25 \end{array}$ |
| | | 15 | 1 50 | |
| | | 10 10 | $egin{array}{ccc} 1 & 00 \\ 1 & 00 \end{array}$ | 85 85 |
| " prostrata | | $\frac{10}{25}$ | $\begin{array}{ccc} 1 & 00 \\ 2 & 50 \end{array}$ | $\begin{array}{cc} 85 \\ 2 & 25 \end{array}$ |
| | • • • • • • • | $\frac{25}{15}$ | $\frac{2}{1} \frac{50}{50}$ | 1 30 |
| "Sabina, Savin " sabinoides | • • • • • • | $\frac{15}{15}$ | 1 75 | 1 60 |
| " scopulorum | • • • • • • • | $\frac{15}{15}$ | 1 35 | 1 20 |
| ., | | 15 15 | 1 60 | 1 50 |
| " Virginiana, Red Cedar | | 10 | 60 | 40 |
| Kalmia angustifolia, Laurel | | 35 | 3 25 | 3 00 |
| " latifolia, Sheep Laurel | | 30 | $\frac{3}{2} \frac{25}{75}$ | 2 50 |
| Laurus nobilis, Sweet Bay | | 10 | 75 | 65 |
| Libocedrus decurrens, American Grown | | 30 | 2 75 | 2 50 |
| Magnolia grandiflora, Evergreen Magnolia | | 10 | 1 10 | 95 |
| Nuttallia cerasiformis | | 35 | $\frac{1}{3} \frac{10}{75}$ | 3 50 |
| Oreodaphne California, Cal. Nutmeg | • • • • • • • | 10 | 1 00 | 75 |
| Photinia arbutifolia | | 10 | 1 00 | 75 |
| Picea (Abies) alba White Spri | | 30 | $\frac{1}{2}$ $\frac{75}{75}$ | 2 50 |
| " Alcoquiana, Japanese " | e 7. | 30 | 3 00 | 2 75 |
| " aganensis | * | 30 | 3 25 | 3 00 |
| " Engelmanni | | 30, | 2 85 | 2 70 |
| " excelsa, Norway " | | 15 | 1 50 | $\frac{1}{1} \frac{1}{35}$ |
| " " Hookeriana | 4 | 75 | 10 00 | 9 50 |
| " nigra, Black " | | 30 | 3 50 | 3 25 |
| " Orientalis, Oriental " | | 30 | 3 25 | 3 10 |
| " pungens, Colorado Blue " | | 30 | 2 90 | 2 75 |
| " " polita | | 30 | 3 00 | 2 75 |
| " rubra, Red " | | 30 | 315 | 3 00 |
| " Sitchensis (Menziesii) | | 30 | 3 10 | 3 00 |
| | | 35 | 3 75 | 3 50 |
| " Austriaca, Austrian " | | 15 | 1 75 | 1 60 |
| " cembra, Swiss Stone " | | 10 | 1 25 | 1 00 |
| " Banksiana, Jack " | | 30 | 3 25 | 3 10 |
| " Canariensis | | 15 | 165 | 1 50 |
| | | 30 | 350 | 3 25 |
| " contorta | | 40 | 4 65 | 4 40 |
| " Coulteri, Big Cone " | | 25 | 285 | 2 70 |
| " densiflora | | 15 | 1 50 | 1 25 |
| | | 10 | 1 00 | 85 |
| | | 20 | 2 00 | 1 85 |
| Where seeds are to go by mail, add p | | | cel Post | rates |
| in U. S. A. Foreign Countries 12 cts. per | r pound | | | |
| 8 | | | | |
| | | | | |

Evergreens-Continued

| | Evergree | 115- | -Continued | | | |
|---------|-------------------------------|--------|---|---------|-----------------------------|-----------------------------|
| | · · | | | | Qua | ntities |
| | | | | | 01 | 10 lbs. nd over |
| | | | | Per oz. | Per lb. | |
| Pinus | flexilis, Colorado | Pine | | \$ 20 | \$1 60 | \$1 50 |
| " | insignis, Monterey | 44 | | 15 | 1 90 | 1 75 |
| " | inops | | | 40 | 4 75 | 4 50 |
| " | Jeffreyi | | | 20 | $2^{\circ}50$ | $2\ 25$ |
| " | Koraiensis | | | 15 | 1 75 | 1 60 |
| " | Lambertiana, Sugar | " | | 15 | 1 75 | 1 50 |
| " | Laricio | | | 10 | 1 40 | 1 25 |
| " | Massoniana | | | 10 | 1 40 | 1 25 |
| " | mitis | | | 35 | 4 25 | 3 85 |
| " | monophylla, Single Leaf | 44 | | 20 | 2 15 | 1 90 |
| . " | monticola, Pacific Coast Wh | nite F | Pine | 30 | 3 50 | 3 25 |
| " | mughus, Dwarf Mountain I | Pine | | 10 | 1 35 | 1 20 |
| " | muricata | | | 35 | 4 40 | 4 25 |
| 66 | Murryana, Lodgepole | " | | 40 | 5 90 | 5 75 |
| " | palustris, Yellow Broom | 44 | | 20 | $2 \ 35$ | $2\ 25$ |
| " | Parryana, Mexican Pinyon | | | 30 | 3 50 | $3\ 25$ |
| 44 | Pinea | | | 10 | 75 | 60 |
| " | ponderosa, Heavy Wooded | " | | 15 | 1 90 | 1 80 |
| " | " (From Colorado) | (scor | ulorum) | 15 | 1 75 | 1 50 |
| 46 | resinosa, Red Norway | | | 50 | 6 50 | 6 25 |
| " | rigida, Pitch | 44 | | 20 | 2 50 | 2 40 |
| " | Sabiniana | " | | 10 | 1 10 | 1 00 |
| " | Strobus, White | " | | 15 | 1 60 | 1 50 |
| " | sylvestris. Scotch | 44 | | 15 | 1 75 | 1 50 |
| - 44 | taeda, Lobiolly | | | 20 | 2 85 | 2 65 |
| " | Thunbergii | | | 10 | 1 25 | 1 10 |
| " | Torreyana | | | 20 | 2 25 | $\frac{1}{2} \frac{1}{15}$ |
| " | tuberculata | | | 35 | 4 25 | 4 00 |
| Podoc | arpus Chinensis | | | 10 | 1 25 | 1 15 |
| Prince | s glaber, Ink Berry | | | 10 | 85 | 70 |
| | s (Cerasus) Caroliniana | | | 10 | 1 35 | 1 20 |
| "" | " ilicifolia | | | 10 | 90 | 80 |
| Pseud | otsuga Douglasii, Douglas S | | | 25 | 275 | 2 60 |
| 1 South | | | olorado) | 25 | 2 50 | $\frac{2}{2} \frac{35}{25}$ |
| | " macrocarpa | | * | 40 | 4 50 | 4 25 |
| Retini | spora obtusa | | | 15 | 1 50 | 1 25 |
| TCC1111 | " pisifera | | | 15 | 1 65 | 1 50 |
| Rhodo | dendron Catawbiense, Moun | | | 40 | 4 50 | 4 25 |
| Tinouc | " maximum | " | | 30 | $\frac{1}{2} \frac{30}{75}$ | 2 50 |
| Sahal | Adansoni, Palm | | ••• | 10 | 1 10 | 1 00 |
| " | Palmetto, Palm | | | 10 | $\frac{1}{1} \frac{10}{25}$ | 1 10 |
| 44 | serrulata, Saw Palm | | | 10 | 1 75 | 1 50 |
| Sciado | ppitys verticillata, Umbrella | Pine | | 25 | 2 75 | 2 50 |
| | ia gigantea, California Big | | | 30 | 3 75 | 3 50 |
| 20940 | sempervirens, California Re | ed W | ood | 25 | 3 00 | 2 75 |
| Taxus | baccata, English Yew | | | 15 | 1 40 | 1 25 |
| " | brevifolia, California Yew | | | 80 | 9 50 | 9 35 |
| Thuia | gigantea, Western Arbor-v | | | 30 | 3 25 | 3 00 |
| "" | | 'itac | | 15 | 1 85 | 1 70 |
| 66 | | 4 | | 10 | 1 00 | 90 |
| " | " aurea, Chinese Golden ' | 4 | | 10 | 1 00 | 90 |
| | and out officers | | | 10 | _ 00 | 0.0 |

Evergreens-Continued

Torreya Californica\$

Calorina

Tsuga (Abies) Canadensis, Hemlock Spruce

Quantities of 10 lbs. and over

\$1 10

3 75

6 00

Per oz. Per lb. Per lb. \$1 25

4 00

6 25

10

30

50

| Calorina | 30 | 0 43 | 0 00 |
|--|----|----------------------------|------------------|
| " heterophylla | 80 | $10 \ 00$ | 9 75 |
| " Mertensiana, Western " | 50 | 6 50 | $6\ 25$ |
| | 25 | 2 65 | 2 40 |
| " Sieboldi, Japanese " Ulex Europaea, Furze | 10 | 1 15 | 1 00 |
| Ulex Europaea, Furze | | | |
| Yucca angustifolia, Adam's Needle | 35 | 4 25 | 4 0 0 |
| " baccata " " | 50 | 6 00 | 5 75 |
| " baccata " " " brevifolia " " | 60 | 8 00 | 7 75 |
| " filamentosa " " | 20 | 2 00 | 1 75 |
| | | | |
| " Whipplei | 30 | 4 00 | 3 75 |
| Deciduous Trees and Shr | ub | S | |
| A con commandes - Fundial Manda - P | 10 | e c= | e =0 |
| Acer campestre, English Maple\$ | 10 | \$ 65 | \$ 50 |
| " circinatum " | 20 | 2 50 | 2 25 |
| " dasycarpum, Silver (Ready in May only) | 10 | 50 | 35 |
| " Ginnale | 25 | 2 75 | 2 65 |
| " glabrum | 10 | $\frac{1}{1} \frac{1}{25}$ | $\frac{1}{1}$ 15 |
| " macrophyllum, Oregon Maple | | | 90 |
| | 10 | 1 00 | |
| pratanoides, Norway | 10 | 60 | 45 |
| " pseude-platanus, Sycamore " | 10 | 60 | 50 |
| " rubrum, Red Maple (Ready in May only) | 10 | 85 | 70 |
| " saccharum, Sugar Maple | 10 | 65 | 50 |
| " spicatum, Mountain " | 15 | 1 60 | 1 50 |
| | | | |
| striatum, Striped | 15 | 1 60 | 1 50 |
| Ailanthus glandulosa, Tree of Heaven | 10 | 50 | 35 |
| Albizzia Julibrissin, Mimosa or Paradise Tree | 15 | 150 | 1 40 |
| Alnus glutinosa, Alder | 10 | 1 00 | 85 |
| " serrulata, Swamp Alder | 10 | 1 00 | 85 |
| | 30 | 3 25 | 3 00 |
| Amelanchier Botryapium, Clean Seed | | | |
| Canadensis | 30 | 3 00 | 2 75 |
| Amorpha canescens | 10 | 75 | 60 |
| " fruticosa, Indigo Shrub | 10 | 60 | 40 |
| Andromeda axillaris | 40 | 5 00 | 4 75 |
| " calyculata | 40 | 5 00 | 4 85 |
| | | | |
| - Catespaer | 35 | 4 00 | 3 75 |
| ngustrina, Clean Seed | 40 | 5 00 | 4 75 |
| " Mariana " " | 25 | 275 | 250 |
| " nitida " " | 20 | 2 50 | 2 00 |
| " racemosa | 35 | 4 25 | 3 75 |
| | 35 | 4 25 | 3 75 |
| " speciosa | | | |
| Aralia spinosa, Angelica Tree | 15 | 1 35 | 1 25 |
| Arbutus Menziesii | 15 | 1 50 | 1 40 |
| Asimina triloba, Papaw | 10 | 65 | 55 |
| Atriplex lentiformis | 50 | 7 00 | 6 75 |
| Azalea arborescens | 40 | 5 25 | 5 00 |
| | | 5 25 | 5 00 |
| " calendulacea | 50 | ə <i>4</i> 5 | ə 00 |
| | | | |

Quantities of 10 lbs. and over Per oz. Per lb. Per lb. Azalea mollis, Clean Seed\$2 50 4 00 nudiflora 50 3 75 vaseyii 50 5 25 5 00 viscosa 40 5 00 4 75 Baccharis halimifolia, Groundsel Shrub 4 00 40 3 75 Berberis Fremonti, Silver-leaved Barberry 65 8 00 Thunbergii, Japanese Barberry Berries... 10 90 75 " Clean Seed ... 40 4 50 4 25 " vulgaris, Common Barberry 10 80 65 purpurea, Purple Barberry 20 1 60 1 45 Betula alba, European White Birch 90 1 10 10 Lutea, Yellow 1 50 1 30 15 lenta, Sweet 1 25 1 35 15 66 46 papyracea, Paper 15 1 60 1 40 populifolia, Poplar 10 90 75 rubra, Red (Ready in July) 25 15 1 10 75 60 Callicarpa Americana 10 10 1 25 1 00 purpurea Calycanthus floridus laevigatus, Sweet Shrub ... 10 65 50 occidentalis, Western " ... 20 2 10 1 90 Caragana arborescens, Siberian Pea 10 1 00 80 25 16 00 Carpenteria California Carpinus Americana, Hornbeam, Clean Seed 10 75 65 90 75 Betulus, European 10 12 Cary alba, Shellbark Hickory per bu., \$4.25 " amara, Bitter-nut 3.7510 " olivaeformis, Pecan-nut " 44 " 11.00 30 porcina, Pig-nut "sulcata, West'n Shellbk " " 12 4.00 44 12 4.00 " tomentosa, White 10 3.25 Cassia Marilandica, Wild Senna 1 35 1 25 15 Catalpa bignonioides, Eastern Catalpa 75 90 speciosa, Western Catalpa. This is the true forest tree, speciosa, guaran-15 1 10 1 00 teed true to name 2 50 20 2 65 Ceanothus Americanus, Clean Seed 85 12 00 divaricatus " 20 2 00 1 75 thyrsiflorus 3 50 3 25 integerrimus 30 Celtis occidentalis, Nettle Tree 10 65 50 Cephalanthus occidentalis 50 40 Cercis Canadensis, Judas Tree 10 65 50 Chilopsis linearis 15 1 65 1 50 Chionanthus Virginica, White Fringe 10 1 00 85 1 35 1 25 Citrus trifoliata, Hardy Orange 15 20 2 50 2 35 Cladrastis tinctoria, Virgilia Clethra alnifolia, Sweet Pepper Bush 10 1 00 85 75 Colutea arborescens 85

| | _ | of a | antities 10 lbs. nd over |
|---|-----------------|--|--------------------------------|
| | | Per lb. | |
| Cornus alternifolia, Blue-berried Dogwood | \$ 10 | \$ 85 | \$ 65 |
| " circinata | 15 | 1 65 | 1 40 |
| " florida, Large White Dogwood Berries | 10 | 40 | 30 |
| " Mas, Cornelian Cherry | 10 | 1,00 | . 90 |
| " Nuttalli, Pacific Coast Dogwood | 15 | 1 25 | 1 10 |
| Cornus paniculata | 10 | 75 | 60 |
| " sericea, Silky Dogwood | 10 | 75 | 65 |
| " stricta | 10 | 1 00 | 90 |
| Corylus Americana, Hazel Nut | 10 | 50 | 45 |
| " rostrata | 10 | 1 50 | 1 35 |
| Crataegus coccinea, White Thorn, berries | 10 | 60 | 45 |
| " cordata, Washington " " | 10 | 60 | 45 |
| " crus-galli, Cockspur " " | 10 | 60 | 50 |
| " oxycantha, English Thorn, Clean Seed | 10 | 85 | 65 |
| Cydonia Japonica | 30 | 2 75 | 2 65 |
| Cyrilla racemoflora | 10 | 1 00 | 90 |
| Cytisus Scoparius, Scotch Broom | 10 | 50 | 40 |
| Diospyros Virginiana, Persimmon, Clean Seed | 10 | 50 | 40 |
| Dirca palustris | $\frac{10}{25}$ | 2 50 | 2 25 |
| Eleagnus angustifolia, Clean Seed | 15 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 1 15 |
| " longipes | 15 | 1 25 | 1 10 |
| " parvifolia | 15 15 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 1 00 |
| - · · · · · · · · · · · · · · · · · · · | $\frac{15}{15}$ | 1 50 | 1 35 |
| " umbellatus | 10 | $\frac{1}{1} \frac{50}{00}$ | 90 |
| Euonymus Americanus, Burning Bush | | $\frac{1}{1} \frac{00}{25}$ | 1 15 |
| atiopui pui eus, | 15 | | 1 35 |
| bungeanus | 15 | 1 50 | |
| Europeus | 10 | 1 00 | 85 |
| Exochorda grandiflora | 20 | 1 85 | 1 65 |
| Fagus ferruginea, American Beech | 10 | 60 | 50 |
| " sylvatica, European " | 10 | 60 | 50 |
| purpurea, Blood-leaved | 10 | 90 | 80 |
| Fraxinus Americana, White Ash | 10 | 50 | 40 |
| Arizonica | 15 | 1 50 | 1 40 |
| excelsior, European | 10 | 60 | 50 |
| Oregona | 15 | 1 50 | 1 40 |
| Ornus, Flowering " | 15 | 75 | 60 |
| pubescens, neu | 15 | 1 15 | 1 00 |
| quadrangulata, Blue " | 15 | 1 50 | 1 40 |
| " sambucifolia, Black " | 10 | 1 00 | 90 |
| " viridis, Green " | 10 | 50 | 35 |
| Fremontia California | 70 | 8 00 | 7 50 |
| Garrya elliptica | 50 | 5 25 | 5 00 |
| Gaylussacia resinosa, Huckleberry | 15 | 1 75 | 1 65 |
| Genista tinctoria | -15 | 1 50 | 1 45 |
| Gleditschia triacanthos, Honey Locust | 10 | 50 | 40 |
| Gymnocladus Canadensis, Kentucky Coffee | 10 | 60 | 45 |
| Halesia diptera, Snowdrop Tree | 15 | 1 50 | 1 30 |
| " tetraptera " " | 10 | 90 | 75 |
| Hamamelis Virginica, Witch Hazel | 10 | 90 | 80 |
| Hibiscus Syriacus, Althaea | 10 | 90 | 75 |

| Hippophaea rhamnoides, Sea Buckthorn | 7. M. C. | | Qua | antities 10 lbs. |
|---|---|---------|------------------|---------------------|
| Hypopnaea rhamnotees, Sea Bucktnorn \$15 \$15 \$15 55 55 Hypericum aureum 20 2 25 2 20 | | _ | а | nd over |
| Hydrangea arborescens | Hippophaea rhampoides. Sea Buckthorn | Per oz. | Per lb. | Per lb. |
| Hypericum aureum | | , | | |
| " densiforum 20 2 00 1 75 " prolificum 15 1 75 1 60 Ilex decidua 10 85 75 " monticola 15 1 25 1 10 Itea Virginica 15 1 25 1 10 Itea Virginica " 10.00 35 10 " Californica " 10.00 35 10 " nigra, Black Walnut 2.25 10 35 " regia, English 10 40 35 " rupestris, Arizona 8.50 25 10 Koelreuteria paniculata, Varnish Tree 10 90 80 Larix, Americana 10 12 50 12 00 " Europaea, European Larch 15 1 75 1 60 12 12 00 27 " Europaea, European Larch 15 1 75 1 60 12 10 75 66 Lajuidambar strace 10 75 65 1 10 75 65 | | | | |
| " prolificum 15 1 75 1 60 Ilex decidua 10 85 75 " monticola 15 1 25 1 10 Itea Virginica 15 2 00 1 75 Juglans cinerea, Butternut per bushel, \$2.50 10 10 " Californica "10.00 35 " nigra, Black Walnut 2.25 10 " regia, English 10 40 35 "rupestris, Arizona 8.50 25 Koelreuteria paniculata, Varnish Tree 10 90 80 Larix, Americana 1 00 12 50 12 00 " Europaea, European Larch 15 1 75 1 60 " leptolepsis, Japanese 30 3 00 2 75 " occidentalis, Western 1 25 17 50 17 00 Laburnum vulgare 10 75 65 Liquidambar styraciflua 40 45 35 " vulgare 10 75 60 Liquidambar styraciflua, Sweet Gum 15 185 | | | | |
| Ilex decidua | | | | |
| Itea Virginica | | | | |
| Itea Virginica | " monticola | 15 | | |
| " Californica " ingra, Black Walnut " 2.25 10 " regia, English 10 40 35 " rupestris, Arizona 8.50 25 Koelreuteria paniculata, Varnish Tree 10 90 80 Larix, Americana 100 12 50 12 00 " Europaea, European Larch 15 1 75 1 60 " leptolepsis, Japanese 30 300 2 75 " occidentalis, Western 1 25 17 50 17 60 Laburnum vulgare 10 75 65 Lindera Benzoin, Spice Bush 10 75 60 Lagerstroemia Indica 40 4 50 4 25 Liguistrum Ibota 10 45 35 " vulgare 10 45 35 Liquidambar styraciflua, Sweet Gum 15 1 85 1 75 Liriodendron tulipfera, Tulip Tree 10 70 60 Lonicera Tartarica, Clean Seed 20 20 1 80 Maclura aurantiaca, Osage Orange 10 60 50 Magnolia acuminata 10 | Itea Virginica | 15 | 2 00 | |
| " nigra, Black Walnut " regia, English 10 40 35 " rupestris, Arizona " 8.50 25 Koelreuteria paniculata, Varnish Tree 10 90 80 Larix, Americana 1 00 12 50 12 00 " Europaea, European Larch 15 1 75 1 60 " leptolepsis, Japanese 30 3 00 2 75 " occidentalis, Western 1 25 17 50 17 00 Laburnum vulgare 10 75 65 Lindera Benzoin, Spice Bush 10 75 60 Lagerstroemia Indica 40 4 50 4 25 Ligustrum Ibota 10 45 35 " vulgare 10 60 50 Liquidambar styraciflua, Sweet Gum 15 1 85 1 75 Liriodendron tulipfera, Tulip Tree 10 70 60 Lonicera Tartarica, Clean Seed 20 2 00 1 80 Maclura aurantiaca, Osage Orange 10 60 50 Magnolia acuminata 10 10 90 " Fraseri 20 2 10 | Juglans cinerea, Butternut per bushel, \$2.50 | | 10 | |
| " regia, English 10 40 35 Koelreuteria paniculata, Varnish Tree 10 90 80 Larix, Americana 1 00 12 50 12 00 " Europaea, European Larch 15 1 75 1 60 " leptolepsis, Japanese 30 3 00 2 75 " occidentalis, Western 1 25 17 50 17 00 Laburnum vulgare 10 75 65 Lindera Benzoin, Spice Bush 10 75 65 Lindera Benzoin, Spice Bush 10 45 35 Ligustrum Ibota 10 45 35 Ligustrum Ibota 10 45 35 Liquidambar styraciflua, Sweet Gum 15 1 85 1 75 Liriodendron tulipfera, Tulip Tree 10 70 60 Lonicera Tartarica, Clean Seed 20 2 00 1 80 Maclura aurantiaca, Osage Orange 10 60 50 Magnolia acuminata 10 1 00 90 " Fraseri 20 2 10 1 90 " glauca, Sweet Bay 10 1 00 | " Californica" " 10.00 | | 35 | |
| " rupestris, Arizona" " 8.50 25 Koelreuteria paniculata, Varnish Tree 10 90 80 Larix, Americana 1 00 12 50 12 00 " Europaea, European Larch 15 1 75 1 60 " leptolepsis, Japanese" 30 3 00 2 75 " occidentalis, Western" 1 25 17 50 17 00 Laburnum vulgare 10 75 65 Lindera Benzoin, Spice Bush 10 75 60 Lagerstroemia Indica 40 4 50 4 25 Ligustrum Ibota 10 60 50 " vulgare 10 60 50 Liquidambar styraciflua, Sweet Gum 15 1 85 1 75 Liriodendron tulipfera, Tulip Tree 10 70 60 Lonicera Tartarica, Clean Seed 20 2 00 1 80 Mazlura aurantiaca, Osage Orange 10 60 50 Magnolia acuminata 10 10 90 " Fraseri 20 2 10 1 90 " glauca, Sweet Bay 10 10 90 < | | | 10 | |
| Koelreuteria paniculata, Varnish Tree 10 90 80 Larix, Americana 1 00 12 50 12 00 "Europaea, European Larch 15 1 75 1 60 "leptolepsis, Japanese 30 3 00 2 75 "occidentalis, Western 1 25 17 50 17 00 Laburnum vulgare 10 75 65 Lindera Benzoin, Spice Bush 10 75 66 Lagerstroemia Indica 40 4 50 4 25 Ligustrum Ibota 10 45 35 "vulgare 10 60 50 Liquidambar styraciflua, Sweet Gum 15 1 85 1 75 Liriodendron tulipfera, Tulip Tree 10 70 60 Lonicera Tartarica, Clean Seed 20 2 00 1 80 Mazlura aurantiaca, Osage Orange 10 60 50 Magnolia acuminata 10 1 00 90 "Fraseri 20 2 10 1 90 "grandiflora, Evergreen 10 1 00 | | 10 | 40 | 35 |
| Larix, Americana 1 00 12 50 12 00 "Europaea, European Larch 15 1 75 1 60 "leptolepsis, Japanese 30 3 00 2 75 "occidentalis, Western 1 25 17 50 17 00 Laburnum vulgare 10 75 65 Lindera Benzoin, Spice Bush 10 75 60 Lagerstroemia Indica 40 45 45 45 Ligustrum Ibota 10 45 35 10 60 50 Liguidambar styraciflua, Sweet Gum 15 1 85 1 75 1 75 Liriodendron tulipfera, Tulip Tree 10 70 60 50 Lonicera Tartarica, Clean Seed 20 20 20 1 80 80 Maclura aurantiaca, Osage Orange 10 60 50 Magnolia acuminata 10 1 00 90 "Fraseri 20 2 10 1 90 "glauca, Sweet Bay 10 1 00 90 "glauca, Sweet Bay 10 1 00 85 "grandiflora, Evergreen 10 1 00 | "rupestris, Arizona" "8.50 | | 25 | |
| " Europaea, European Larch 15 1 75 1 60 " leptolepsis, Japanese 30 3 00 2 75 " occidentalis, Western 1 25 17 50 17 00 Laburnum vulgare 10 75 65 Lindera Benzoin, Spice Bush 10 75 60 Lagerstroemia Indica 40 4 50 4 25 Ligustrum Ibota 10 60 50 " vulgare 10 60 50 Liquidambar styraciflua, Sweet Gum 15 1 85 1 75 Liriodendron tulipfera, Tulip Tree 10 70 60 Lonicera Tartarica, Clean Seed 20 2 00 1 80 Maclura aurantiaca, Osage Orange 10 60 50 Magnolia acuminata 10 1 00 90 " Fraseri 20 2 10 1 90 " glauca, Sweet Bay 10 1 00 85 " grandiflora, Evergreen 10 1 00 85 " grandiflora, Evergreen 10 1 00 85 Melia umbraculiformis, China Tree 10 65 | Koelreuteria paniculata, Varnish Tree | | | |
| " leptolepsis, Japanese 30 3 00 2 75 " occidentalis, Western 1 25 17 50 17 00 Laburnum vulgare 10 75 65 Lindera Benzoin, Spice Bush 10 75 60 Lagerstroemia Indica 40 4 50 4 25 Ligustrum Ibota 10 45 35 " vulgare 10 60 50 Liquidambar styraciflua, Sweet Gum 15 1 85 1 75 Liriodendron tulipfera, Tulip Tree 10 70 60 Lonicera Tartarica, Clean Seed 20 2 00 1 80 Maclura aurantiaca, Osage Orange 10 60 50 Magnolia acuminata 10 1 00 90 " Fraseri 20 2 10 1 90 " grandiflora, Evergreen 10 10 85 " grandiflora, Evergreen 10 10 85 " grandiflora, Evergreen 10 10 85 Melia umbraculiformis, China Tree 10 65 50 Morus alba, White Mulberry 10 125 <t< td=""><td></td><td></td><td></td><td></td></t<> | | | | |
| Teptolepsis, Sapanese 30 30 275 "occidentalis, Western 1 25 17 50 17 00 Laburnum vulgare 10 75 65 Lindera Benzoin, Spice Bush 10 75 60 Lagerstroemia Indica 40 4 50 4 25 Ligustrum Ibota 10 45 35 Liquidambar styraciflua, Sweet Gum 15 1 85 1 75 Liriodendron tulipfera, Tulip Tree 10 70 60 Lonicera Tartarica, Clean Seed 20 2 00 1 80 Maclura aurantiaca, Osage Orange 10 60 50 Magnolia acuminata 10 1 00 90 " Fraseri 20 2 10 1 90 " glauca, Sweet Bay 10 1 00 85 " grandiflora, Evergreen 10 1 00 90 " macrophylla 10 1 00 85 " grandiflora, Evergreen 10 1 00 85 Melia umbraculiformis, China Tree 10 65 50 Morus alba, White Mulberry 10 1 25 | | | | |
| Laburnum vulgare 10 75 65 Lindera Benzoin, Spice Bush 10 75 60 Lagerstroemia Indica 40 4 50 4 25 Ligustrum Ibota 10 45 35 " vulgare 10 60 50 Liquidambar styraciflua, Sweet Gum 15 1 85 1 75 Liriodendron tulipfera, Tulip Tree 10 70 60 Lonicera Tartarica, Clean Seed 20 2 00 1 80 Maclura aurantiaca, Osage Orange 10 60 50 Magnolia acuminata 10 1 00 90 " Fraseri 20 2 10 1 90 " glauca, Sweet Bay 10 1 00 85 " grandiflora, Evergreen 10 1 00 90 " macrophylla 10 1 00 85 Melia umbraculiformis, China Tree 10 65 50 Morus alba, White Mulberry 10 1 25 1 10 " rubra 15 1 60 1 50 " tatarica, Russian 20 1 75 1 60 | reprofess, sapanese | | | |
| Lindera Benzoin, Spice Bush 10 75 60 Lagerstroemia Indica 40 4 50 4 25 Ligustrum Ibota 10 45 35 " vulgare 10 60 50 Liquidambar styraciflua, Sweet Gum 15 1 85 1 75 Liriodendron tulipfera, Tulip Tree 10 70 60 Lonicera Tartarica, Clean Seed 20 2 00 1 80 Maclura aurantiaca, Osage Orange 10 60 50 Magnolia acuminata 10 100 90 " Fraseri 20 2 10 1 90 " glauca, Sweet Bay 10 1 00 85 " grandiflora, Evergreen 10 1 00 90 " macrophylla 10 1 00 85 Melia umbraculiformis, China Tree 10 65 50 Morus alba, White Mulberry 10 1 25 1 10 " rubra 15 1 60 1 50 " tatarica, Russian 20 1 75 1 60 Myrica Californica, Wax Myrtle 25 2 25 2 10 | ,, | | | |
| Lagerstroemia Indica 40 4 50 4 25 Ligustrum Ibota 10 45 35 "vulgare 10 60 50 Liquidambar styraciflua, Sweet Gum 15 1 85 1 75 Liriodendron tulipfera, Tulip Tree 10 70 60 Lonicera Tartarica, Clean Seed 20 2 00 1 80 Maclura aurantiaca, Osage Orange 10 60 50 Magnolia acuminata 10 1 00 90 "Fraseri 20 2 10 1 90 "glauca, Sweet Bay 10 100 85 "grandiflora, Evergreen 10 1 00 85 "grandiflora, Evergreen 10 1 00 85 "grandiflora, Evergreen 10 1 00 85 Melia umbraculiformis, China Tree 10 65 50 Morus alba, White Mulberry 10 1 25 1 15 "tatarica, Russian 15 1 60 1 50 "tatarica, Russian 20 1 75 1 60 Myrica Californica, Wax Myrtle 25 2 25 | | | | |
| Ligustrum Ibota 10 45 35 " vulgare 10 60 50 Liquidambar styraciflua, Sweet Gum 15 185 175 Liriodendron tulipfera, Tulip Tree 10 70 60 Lonicera Tartarica, Clean Seed 20 200 180 Maclura aurantiaca, Osage Orange 10 60 50 Magnolia acuminata 10 100 90 "Fraseri 20 2 10 190 "grandiflora, Evergreen 10 100 85 "grandiflora, Evergreen 10 100 90 "macrophylla 10 10 85 Melia umbraculiformis, China Tree 10 65 50 Morus alba, White Mulberry 10 125 1 10 "rubra 15 1 60 1 50 "tatarica, Russian" 20 1 75 1 60 Myrica Californica, Wax Myrtle 25 2 25 2 10 "cerifera" 10 65 50 Negundo aceroides, Ash-leaved Maple (Western) 10 65 50 | | | | |
| " vulgare 10 60 50 Liquidambar styraciflua, Sweet Gum 15 1 85 1 75 Liriodendron tulipfera, Tulip Tree 10 70 60 Lonicera Tartarica, Clean Seed 20 2 00 1 80 Maclura aurantiaca, Osage Orange 10 60 50 Magnolia acuminata 10 1 00 90 "Fraseri 20 2 10 1 90 "glauca, Sweet Bay 10 1 00 85 "grandiflora, Evergreen 10 1 00 90 "macrophylla 10 1 25 1 15 "tripetala 10 1 00 85 Melia umbraculiformis, China Tree 10 65 50 Morus alba, White Mulberry 10 1 25 1 10 "tatarica, Russian 20 1 75 1 60 Myrica Californica, Wax Myrtle 25 2 25 2 10 Negundo aceroides, Ash-leaved Maple (Western) 10 65 50 Negundo aceroides, Ash-leaved Maple (Western) 10 75 65 "multiflora " < | | | | |
| Liquidambar styraciflua, Sweet Gum 15 1 85 1 75 Liriodendron tulipfera, Tulip Tree 10 70 60 Lonicera Tartarica, Clean Seed 20 2 00 1 80 Maclura aurantiaca, Osage Orange 10 60 50 Magnolia acuminata 10 1 00 90 "Fraseri 20 2 10 1 90 "glauca, Sweet Bay 10 1 00 85 "grandiflora, Evergreen 10 1 00 90 "macrophylla 10 1 25 1 15 "tripetala 10 1 00 85 Melia umbraculiformis, China Tree 10 65 50 Morus alba, White Mulberry 10 1 25 1 10 "rubra 15 1 60 1 50 "tatarica, Russian 20 1 75 1 60 Myrica Californica, Wax Myrtle 25 2 25 2 10 "cerifera " 10 65 50 Negundo aceroides, Ash-leaved Maple (Western) 10 50 40 Nyssa aquatica, Sour Gum 10 7 | • | | | |
| Liriodendron tulipfera, Tulip Tree 10 70 60 Lonicera Tartarica, Clean Seed 20 2 00 1 80 Maclura aurantiaca, Osage Orange 10 60 50 Magnolia acuminata 10 1 00 90 "Fraseri 20 2 10 1 90 "glauca, Sweet Bay 10 1 00 85 "grandiflora, Evergreen 10 1 00 90 "macrophylla 10 1 25 1 15 "tripetala 10 1 00 85 Melia umbraculiformis, China Tree 10 65 50 Morus alba, White Mulberry 10 1 25 1 10 "rubra 15 1 60 1 50 "tatarica, Russian 20 1 75 1 60 Myrica Californica, Wax Myrtle 25 2 25 2 10 "cerifera " 10 65 50 Negundo aceroides, Ash-leaved Maple (Western) 10 50 40 Nyssa aquatica, Sour Gum 10 75 65 "multiflora" 10 65 50 | | | | |
| Lonicera Tartarica, Clean Seed 20 2 00 1 80 | | | | |
| Maclura aurantiaca, Osage Orange 10 60 50 Magnolia acuminata 10 1 00 90 "Fraseri 20 2 10 1 90 "glauca, Sweet Bay 10 1 00 85 "grandiflora, Evergreen 10 1 00 90 "macrophylla 10 1 25 1 15 "tripetala 10 1 00 85 Melia umbraculiformis, China Tree 10 65 50 Morus alba, White Mulberry 10 1 25 1 10 "rubra 15 1 60 1 50 "tatarica, Russian 20 1 75 1 60 Myrica Californica, Wax Myrtle 25 2 25 2 10 "cerifera 10 65 50 Negundo aceroides, Ash-leaved Maple (Western) 10 50 40 Nyssa aquatica, Sour Gum 10 75 65 "multiflora 10 60 50 "multiflora, Tupelo, Sour Gum 10 75 60 Ostrya Virginica, Iron Wood 10 1 10 1 10 | | | | |
| Magnolia acuminata 10 1 00 90 "Fraseri 20 2 10 1 90 "glauca, Sweet Bay 10 1 00 85 "grandiflora, Evergreen 10 1 00 90 "macrophylla 10 1 25 1 15 "tripetala 10 1 00 85 Melia umbraculiformis, China Tree 10 65 50 Morus alba, White Mulberry 10 1 25 1 10 "rubra 15 1 60 1 50 "tatarica, Russian 20 1 75 1 60 Myrica Californica, Wax Myrtle 25 2 25 2 10 "cerifera " 10 65 50 Negundo aceroides, Ash-leaved Maple (Western) 10 50 40 Nyssa aquatica, Sour Gum 10 75 65 "multiflora " 10 60 50 "uniflora, Tupelo, Sour Gum 10 75 60 Ostrya Virginica, Iron Wood 10 1 10 10 Oxydendrum arboreum (Andromeda) 25 2 00 1 85 | | | | |
| " Fraseri 20 2 10 1 90 " glauca, Sweet Bay 10 1 00 85 " grandiflora, Evergreen 10 1 00 90 " macrophylla 10 1 25 1 15 " tripetala 10 1 00 85 Melia umbraculiformis, China Tree 10 65 50 Morus alba, White Mulberry 10 1 25 1 10 " rubra 15 1 60 1 50 " tatarica, Russian 20 1 75 1 60 Myrica Californica, Wax Myrtle 25 2 25 2 10 " wyrica Californica, Wax Myrtle 25 2 25 2 10 " wegundo aceroides, Ash-leaved Maple (Western) 10 65 50 Negundo aceroides, Ash-leaved Maple (Western) 10 50 40 Nyssa aquatica, Sour Gum 10 75 65 " multiflora" 10 60 50 " uniflora, Tupelo, Sour Gum 10 75 60 Ostrya Virginica, Iron Wood 10 1 10 1 00 Oxydendrum arboreum (Andromeda) 25 | | | | |
| ## grandiflora, Evergreen 10 1 00 90 ## grandiflora, Evergreen 10 1 00 90 ## macrophylla 10 1 25 1 15 ## tripetala 10 1 00 85 ## Melia umbraculiformis, China Tree 10 65 50 ## Morus alba, White Mulberry 10 1 25 1 10 ## rubra 15 1 60 1 50 ## tatarica, Russian 15 1 60 1 50 ## work alifornica, Wax Myrtle 25 2 25 2 10 ## cerifera 10 65 50 ## Myrica Californica, Wax Myrtle 25 2 25 2 10 ## work adjusted Maple (Western) 10 50 40 ## Nyssa aquatica, Sour Gum 10 75 65 ## multiflora 10 60 50 ## uniflora, Tupelo, Sour Gum 10 75 60 Ostrya Virginica, Iron Wood 10 1 10 1 00 Oxydendrum arboreum (Andromeda) 25 2 00 1 85 Parkinsonia aculeata 15 1 50 1 35 | | | $\frac{1}{2}$ 10 | |
| ### grandinora, Evergreen | glauca, Sweet Bay | 10 | 1 00 | 85 |
| " tripetala 10 1 00 85 Melia umbraculiformis, China Tree 10 1 00 85 Morus alba, White Mulberry 10 1 25 1 10 " rubra 15 1 60 1 50 " tatarica, Russian 20 1 75 1 60 Myrica Californica, Wax Myrtle 25 2 25 2 10 " cerifera " 10 65 50 Negundo aceroides, Ash-leaved Maple (Western) 10 50 40 Nyssa aquatica, Sour Gum 10 75 65 " multiflora " 10 60 50 " uniflora, Tupelo, Sour Gum 10 75 60 Ostrya Virginica, Iron Wood 10 1 10 1 00 Oxydendrum arboreum (Andromeda) 25 2 00 1 85 Parkinsonia aculeata 15 1 50 1 35 | grandinora, Evergreen | 10 | 1 00 | 90 |
| Melia umbraculiformis, China Tree 10 65 50 Morus alba, White Mulberry 10 125 1 10 " rubra 15 1 60 1 50 " tatarica, Russian 20 1 75 1 60 Myrica Californica, Wax Myrtle 25 2 25 2 10 " cerifera " 10 65 50 Negundo aceroides, Ash-leaved Maple (Western) 10 50 40 Nyssa aquatica, Sour Gum 10 75 65 " multiflora " 10 60 50 " uniflora, Tupelo, Sour Gum 10 75 60 Ostrya Virginica, Iron Wood 10 1 10 1 00 Oxydendrum arboreum (Andromeda) 25 2 00 1 85 Parkinsonia aculeata 15 1 50 1 35 | macrophyna | 10 | $1 \ 25$ | 1 15 |
| Morus alba, White Mulberry 10 1 25 1 10 " rubra 15 1 60 1 50 " tatarica, Russian 20 1 75 1 60 Myrica Californica, Wax Myrtle 25 2 25 2 10 " cerifera " 10 65 50 Negundo aceroides, Ash-leaved Maple (Western) 10 50 40 Nyssa aquatica, Sour Gum 10 75 65 " multiflora " 10 60 50 " uniflora, Tupelo, Sour Gum 10 75 60 Ostrya Virginica, Iron Wood 10 1 10 1 00 Oxydendrum arboreum (Andromeda) 25 2 00 1 85 Parkinsonia aculeata 15 1 50 1 35 | tripetara | | | 85 |
| " rubra 15 1 60 1 50 " tatarica, Russian " 20 1 75 1 60 Myrica Californica, Wax Myrtle 25 2 25 2 10 " cerifera " 10 65 50 Negundo aceroides, Ash-leaved Maple (Western) 10 50 40 Nyssa aquatica, Sour Gum 10 75 65 " multiflora " 10 60 50 " uniflora, Tupelo, Sour Gum 10 75 60 Ostrya Virginica, Iron Wood 10 1 10 1 00 Oxydendrum arboreum (Andromeda) 25 200 1 85 Parkinsonia aculeata 15 1 50 1 35 | Melia umbraculiformis, China Tree | | | |
| " tatarica, Russian " | | | | |
| tatarica, Russian 20 1 75 1 60 Myrica Californica, Wax Myrtle 25 2 25 2 10 " cerifera " 10 65 50 Negundo aceroides, Ash-leaved Maple (Western) 10 50 40 Nyssa aquatica, Sour Gum 10 75 65 " multiflora " 10 60 50 " uniflora, Tupelo, Sour Gum 10 75 60 Ostrya Virginica, Iron Wood 10 1 10 1 00 Oxydendrum arboreum (Andromeda) 25 2 00 1 85 Parkinsonia aculeata 15 1 50 1 35 | rupra | | | |
| " cerifera " " 10 65 50 Negundo aceroides, Ash-leaved Maple (Western) 10 50 40 Nyssa aquatica, Sour Gum 10 75 65 " multiflora " 10 60 50 " uniflora, Tupelo, Sour Gum 10 75 60 Ostrya Virginica, Iron Wood 10 1 10 1 00 Oxydendrum arboreum (Andromeda) 25 2 00 1 85 Parkinsonia aculeata 15 1 50 1 35 | tatarica, Russian | | | |
| Negundo aceroides, Ash-leaved Maple (Western) 10 50 40 Nyssa aquatica, Sour Gum 10 75 65 " multiflora" 10 60 50 " uniflora, Tupelo, Sour Gum 10 75 60 Ostrya Virginica, Iron Wood 10 1 10 1 0 Oxydendrum arboreum (Andromeda) 25 2 00 1 85 Parkinsonia aculeata 15 1 50 1 35 | | | | |
| Nyssa aquatica, Sour Gum 10 75 65 " multiflora " 10 60 50 " uniflora, Tupelo, Sour Gum 10 75 60 Ostrya Virginica, Iron Wood 10 1 10 1 00 Oxydendrum arboreum (Andromeda) 25 2 00 1 85 Parkinsonia aculeata 15 1 50 1 35 | centera | | | |
| " multiflora " " " " " " " " " " " " " " " " " " " | | | | |
| " uniflora, Tupelo, Sour Gum 10 75 60 Ostrya Virginica, Iron Wood 10 1 10 1 00 Oxydendrum arboreum (Andromeda) 25 2 00 1 85 Parkinsonia aculeata 15 1 50 1 35 | | | | |
| Ostrya Virginica, Iron Wood 10 1 10 1 00 Oxydendrum arboreum (Andromeda) 25 2 00 1 85 Parkinsonia aculeata 15 1 50 1 35 | | | | |
| Oxydendrum arboreum (Andromeda) 25 2 00 1 85 Parkinsonia aculeata 15 1 50 1 35 | | | | |
| Parkinsonia_aculeata 15 1 50 1 35 | | | | |
| | | | | |
| Torreyana 15 2 50 2 35 | | 15 | 2 50 | 2 35 |
| Paulownia imperialis, Empress Tree 10 1 10 1 00 | | 10 | 1 10 | 1 00 |
| Platanus occidentalis, American Plane 10 60 50 | Platanus occidentalis, American Plane | 10 | | 50 |
| " orientalis, Oriental " 10 75 60 | orientalis, Oriental | | | |
| " Wrightii 10 2 00 1 75 | " Wrightii | 10 | 2 00 | 1 75 |

| Deciduous Trees and Shrubs | |
|--|-------------------------|
| | Quantities |
| | of 10 lbs. and over |
| | Per oz. Per lb. Per lb |
| Prinos verticillatus, Deciduous Holly | |
| Prosopis pubescens, pods, Tornio Bean | 20 2 00 1 90 |
| " juliflora, pods, Mesquite Bean | 20 2 00 1 90 |
| | |
| Prunus Americana, Wild Plum | |
| maritima, Beach | 25 2 10 2 00 |
| serotina, Clean Stones | 10 40 30 |
| Ptelea trifoliata, Hop Tree | 10 45 35 |
| Pyrus Americana, American Mountain Ash | 15 1 40 1 30 |
| " Aucuparia, European " " | 10 75 60 |
| " arbutifolia | 10 60 50 |
| Quercus alba, White Oakper bu., \$4.50 | 20 |
| " agrifolia " " 22.50 | 10 60 |
| " aquatica " " 8.00 | 25 |
| " bicolor, Meadow "" "4.50 | 20 |
| " Catesbaei " " 8.00 | 25 25 |
| | $\frac{25}{25}$ |
| Cerris, Turkey 8.00 | |
| chrysolepis 25.00 | 70 |
| cinera, Opiand Willow Oak 9.00 | 30 |
| coccinea, Scarlet Oak 5.50 | 20 |
| " falcata, Spanish " " " 6.50 | 20 |
| " Garryana " " 35.00 | 85 |
| " ilicifolia, Scrub " " " 8.00 | 25 |
| " imbricaria, Laurel " " " 7.50 | 25 |
| " laurifolia, Southern Laurel | |
| Oak " " 9.00 | 30 |
| " lyrata " " 5.00 | 20 |
| " Michauxii " " 4.50 | 20 |
| " macrocarpa, Burr Oak " " 5.00 | 20 |
| | $\frac{20}{25}$ |
| nigia, black back | $\frac{25}{20}$ |
| obtustiona, Post 6.00 | |
| parustris, Pin 1.00 | 25 |
| Phenos, Willow 8.00 | 25 |
| Fillius, Chestinut 4.00 | 15 |
| "Robur, English "" " 5.00 | 20 |
| " rubra, Red " " 3.75 | 15 |
| " Texana " " 8.00 | 25 |
| "tinctoria, Black "" "5.25 | 20 |
| Rhamnus Caroliana, Buckthorn | 10 7 5 65 |
| " cathartica " | 10 75 65 |
| " Frangula " | 10 65 50 |
| " Purschiana " | 20 2 25 2 10 |
| Rhodotyphus, Kerroides | 10 85 75 |
| | 15 1 25 1 15 |
| Rhus aromatica | 10 45 35 |
| " copallina, Shining Sumach | 15 1 65 1 50 |
| Cottinus, wist bush | |
| glabra, Smooth Sumach | 10 40 30 |
| typnina, Stay's Horn Sumach | 10 40 30 |
| Ribes sanguineum, Flowering Currant | 25 2 50 2 35 |
| Robinia hispida, | 50 5 00 4 75 |
| " pseud-acacia, Yellow or Black Locust | 10 60 45 |
| Romneya Coulteri | 80 10 00 9 50 |
| 777 | |

| Deciduous Trees and Birtubs | Con | tinaca | | | |
|--|------------------------|---------|------------------|--|--|
| | | | intities | | |
| | of 10 lbs. and over | | | | |
| | Per oz. | Per lb. | Per lb. | | |
| Rosa blanda | \$ 10 | \$ 75 | \$ 65 | | |
| " Canina | 10 | 90 | 75 | | |
| " Carolina | 10 | 90 | 75 | | |
| " humilis | 10 | 90 | 75 | | |
| " lucida | 10 | 90 | 75 | | |
| " rubiginosa | 10 | 75 | 60 | | |
| " rugosa, Clean Seed | 15 | 1 10 | 1 00 | | |
| " setigera, Berries, Wild Rose | 10 | 80 | 75 | | |
| Salisburia adiantifolia, Ginkgo | 10 | 75 | 60 | | |
| Sambucus Canadensis, Elder, Clean Seed | 10 | 1 25 | 1 10 | | |
| Sassafras officinale | 10 | 75 | 60 | | |
| Shepherdia argentia | 35 | 3 25 | 3 00 | | |
| Sophora Japonica, Pagoda Tree | 10 | 85 | 65 | | |
| Spirea opulifolia, Clean Seed | 25 | 3 50 | 3 25 | | |
| " tomentosa | 10 | 1 00 | 90 | | |
| Staphylea trifolia, Bladder-nut | 20 | 2 00 | 1 75 | | |
| Styrax Americana | 15 | 150 | 1 40 | | |
| Syringa villosa, Chinese Lilac | 20 | 2 00 | 1 75 | | |
| " vulgaris, Common Lilac, Clean Seed | 25 | 2 25 | 2 00 | | |
| Taxodium distichum, Deciduous Cypress | 10 | 75 | 60 | | |
| Tilia Amaricana, American Linden | 10 | 65 | 55 | | |
| " Europae, European " | 10 | 75 | 65 | | |
| Ulmus Americana, American Elm (In Mayonly) | 10 | 65 | 55 | | |
| " campestre, European | 10 | 65 | 55 | | |
| " fulva, Slippery " " | 15 | 1 50 | 1 40 | | |
| " montana, Scotch | 10 | 85 | 75 | | |
| Vaccinium arboreum, Bush Huckleberry | 15 | 1 75 | 1 60 | | |
| " corymbosum " " | 15 | 1 75 | 1 60 | | |
| " macrocarpon, Cranberry, clean seed | 3 00 | | | | |
| " Pennsylvanicum, Huckleberry | 15 | 1 75 | 1 60 | | |
| " stamineum | 10 | 1 40 | 1 35 | | |
| Viburnum acerifolium | 10 | 50 | 35 | | |
| " cassinoides | 10 | 90 | 75 | | |
| " dentatum | 10 | 65 | 50 | | |
| " Lantana | 10 | 75 | 60 | | |
| " Lentago | 10 | 85 | 75 | | |
| " nudum | 10 | 85 | 70 | | |
| "Oxycoccos | 10 | 90 | 80 | | |
| " prunifolium | 10 | 50 | 40 | | |
| TT: 4 64. 4 | | | | | |
| Vines and Climber | S | | | | |
| Ampelopsis Veitchii, Japan Creeper, Clean Seed | \$ 15 | \$1 50 | \$1 35 | | |
| " Virginica, Virginia " | 10 | 85 | 75 | | |
| Celastrus Articulatus | 10 | 1 00 | 95 | | |
| " scandens, Staff Vine | 10 | 85 | 75 | | |
| Clematis flammula, Sweet Clematis | 15 | 1 15 | 1 00 | | |
| " coccinea, Scarlet Clematis | 75 | 9 25 | 9 00 | | |
| " paniculata, Japanese Clematis | 20 | 1 85 | 1 75 | | |
| " Virginiana | $\frac{25}{25}$ | 3 00 | $\frac{1}{2}$ 75 | | |
| " vitalba, English Clematis | 10 | 1 00 | 75 | | |
| Transa, English Olomatis | . (D | 1 D | | | |

Vines and Climbers-Continued

| | Quantities of 10 lbs. and over | | | | |
|--|--------------------------------------|-------|----|------------|--|
| | Per oz. | Per I | | | |
| Hedera Helix, Ivy | \$ 10 | \$ 75 | \$ | 60 | |
| Menispermum Canadense, Moon Seed | 15 | 1 35 | 1 | | |
| Passiflora incarnata, Passion Flower | 15 | 1 50 | 1 | 35 | |
| Smilax glauca | 10 | 1 00 | _ | 90 | |
| " hispida | 15 | 1 50 | 1 | 35 | |
| " laurifolia | 10 | 90 | | 80 | |
| " rotundifolia | 10 | 90 | | 80 | |
| " tamnoides | 15 | 1 75 | 1 | 60 | |
| " Walteri | 10 | 1 00 | | 90 | |
| Tecoma radicans, Trumpet Vine | 10 | 90 | | 80 | |
| Vitis. See Fruits. | | | | | |
| Wistaria frutescens | 20 | 2 00 | 1 | 90 | |
| " magnifica | 20 | 1 75 | 1 | 60 | |
| " sinensis | 20 | 1 75 | 1 | 6 0 | |
| | | | | | |
| Fruits | | | | | |
| Apple, French Crab, Write for Prices | 10 | 50 | | | |
| Cherry Mahaleb, \$22.00 per bu.; 5 bus. at \$21.50 per bu. | 10 | 60 | | | |
| Chestnut, American, \$8.00 per bu | 05 | 20 | | | |
| Grape, Vitis aestivalis | 15 | 1 50 | 1 | 35 | |
| " " cordifolia | 15 | 1 35 | ī | | |
| " labrusca | 15 | 1 40 | ĩ | 25 | |
| " "riparia | 15 | 1 50 | 1 | 40 | |
| " rotundifolia | 15 | 1 65 | 1 | 50 | |
| Peach pits. Natural, per bu., \$2.25 | - | 10 | | | |
| Pear, French. Write for prices. | | | | | |
| Pear, Japan | 15 | 2 25 | 2 | 00 | |
| Pear, Kieffer, 100 lb. at \$2.25 per lb | 25 | 2 75 | 2 | 50 | |
| Quince | 20 | 1 75 | _ | | |
| Myrobolan Plum \$15.00 per bu., 5 bus @ \$14.50 | | | | | |
| per bu | 10 | 45 | | | |
| | | | | | |

All orders will receive my best attention, and packing for shipment will receive special care and seeds will be packed in a manner that will permit their reaching destination in perfect order.

Thomas J. Lane

TREE SEEDSMAN

Dresher, - - Penna.

August 15th, 1916.